

EcoPAK[®]



Lighting Solutions (UK) Ltd

www.ecotroniclighting.com

EcoPAK® T5



What is EcoPAK® T5?

EcoPAK® is a new range of fluorescent batten fittings that incorporates new T5 generation lamp technology and is completely UK produced, the range houses the very latest T5 ballast technology from Tridonic ATCO®.

EcoPAK® is extremely robust as it is manufactured from 1.0mm powder coated zintec steel and can be supplied with standard or highly polished MIRO 4® reflectors. Combining EcoPAK® with the MIRO 4® reflector ensures excellent vertical illuminance and general illumination characteristics combine to exceed enhanced capital allowance criteria.



Benefits of EcoPAK® T5

- Impressive proven energy savings of between 50 & 65%
- Rapid payback due to low initial outlay.
- Reduces maintenance by 66% due to 24,000 hour extended lamp life.
- Unique & innovative reflector design, highest grade material.
- Exceeds ECA criteria allowing full capital allowance.
- Quality UK control gear - up to 5 year guarantee.
- HF operation, no flicker & instant start.
- High power factor & low total harmonic distortion.
- Tri phosphor lamp giving high colour rendition.
- Emergency conversion, daylight dimming & occupancy detection available.
- 100% UK quality components.
- Aesthetically pleasing, existing fittings & surrounds remain the same.




MAJOR FEATURE:

Luminous reflectance of 95%, this translates into a 20% higher operating efficiency for lighting systems using MIRO® reflectors.


EcoPAK® T5




EcoPAK® T5 dimensions



Size	Part Number	Lamp Configuration	Dimensions
2ft single	EP114	T5 1 x 14W	580 x 41 x 51
2ft twin	EP214	T5 2 x 14W	580 x 58 x 51
3ft single	EP121	T5 1 x 21W	880 x 41 x 51
3ft twin	EP221	T5 2 x 21W	880 x 58 x 51
4ft single	EP128	T5 1 x 28W	1180 x 41 x 51
4ft twin	EP228	T5 2 x 28W	1180 x 58 x 51
4ft single HQ	EP154	T5 1 x 54W	1180 x 41 x 51
4ft twin HQ	EP254	T5 2 x 54W	1180 x 58 x 51
5ft single	EP135	T5 1 x 35W	1449 x 41 x 51
5ft twin	EP235	T5 2 x 35W	1449 x 58 x 51
5ft single HQ	EP149	T5 1 x 49W	1449 x 41 x 51
5ft twin HQ	EP249	T5 2 x 49W	1449 x 58 x 51
5ft single SHO	EP180	T5 1 x 80W	1449 x 41 x 51
5ft twin SHO	EP280	T5 2 x 80W	1449 x 58 x 51
6ft single	6EP221	T5 2 x 21W	1760 x 41 x 51
6ft twin	6EP421	T5 4 x 21W	1760 x 58 x 51
6ft single HQ	6EP239	T5 2 x 39W	1760 x 41 x 51
6ft twin HQ	6EP439	T5 4 x 39W	1760 x 58 x 51
8ft single	8EP228	T5 2 x 28W	2360 x 41 x 51
8ft twin	8EP428	T5 4 x 28W	2360 x 58 x 51
8ft single HQ	8EP254	T5 2 x 54W	2360 x 41 x 51
8ft twin HQ	8EP454	T5 4 x 54W	2360 x 58 x 51



Wide Beam
Light Output ratio: 89.0%



Narrow Beam
Light Output ratio: 88.9%

EcoPAK® T5 Customer Service & Support

Free Assessment & Payback Report

Contact us now on 0845 170 4567 or email sales@ecotroniclighting.com and we will provide a report detailing costs, savings and payback periods with EcoPAK® T5.

EcoPAK® T5 Trial

Contact us, we will be happy to arrange a trial of EcoPAK® T5 at a location of your choice.

Site Survey / Installation

For large applications we can attend site and carry out a full energy saving survey for all of your lighting requirements. Installation of EcoPAK® T5 and our full range of energy saving lighting products can be arranged for you.

TRIDONIC.ATCO
• system guarantee •





ECOTRONIC[®]

Energy Efficient Lighting Systems

ECOTRONIC LIGHTING

P.O. Box 4691 Walsall West Midlands WS1 9DD

Tel: 0845 170 4567 Fax: 0845 170 5678 E-mail: sales@ecotroniclighting.com